Product sheet

[illegible] B16-F0 | 300308

[illegible]

Description	[illegible] B16-F0 [illegible] B16. [illegible] [illegible] B16-F0 [illegible]
Organism	[illegible]
Tissue	[illegible]
Disease	[illegible]
Synonyms	B16/F0, B16F0

[illegible]

Breed/Subspecies	C57BL/6
Gender	[illegible]
Morphology	[illegible]
Cell type	[illegible]
Growth properties	[illegible]

[illegible]

Citation	B16-F0 ([illegible] Cytion 300308)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_0604

[illegible]

Product sheet

[redacted] B16-F0 | 300308

Tumorigenic	[redacted]
Products	[redacted]

[redacted]

Culture Medium	DMEM, w: 4.5 g/L [redacted], w: 4 mM L-[redacted], w: 3.7 g/L NaHCO3, w: 1.0 mM [redacted] (Cytion 820300a)
Supplements	[redacted] 10% FBS
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] T25, [redacted] 3-5 [redacted] PBS, [redacted] 3 [redacted]
Freeze medium	[redacted] FBS) + 10% DMSO [redacted] C

Thawing and Culturing Cells

1. [redacted]
2. [redacted] 150°C [redacted]
3. [redacted] 37 [redacted]
4. [redacted] 70% [redacted]
5. [redacted] 15 [redacted] 8 [redacted]
6. [redacted] 300 x g [redacted] 3 [redacted]
7. [redacted] 10 [redacted] T2
8. [redacted]

Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]

[redacted]B16-F0 | 300308

Flask Coating	[redacted], [redacted]
Freezing Procedure	[redacted] °C
Shipping Conditions	[redacted] °C
Storage Conditions	[redacted] -150 [redacted] 196 [redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] PCR [redacted] [redacted], [redacted]