Product sheet

[redacted] C-33 A | 305072

[redacted]

Description	[redacted] C-33 A [redacted] 66 [redacted] [redacted] C-33 A [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	C33A, C33a, C33-A, C-33-A, C-33A, C33

[redacted]

Age	66 [redacted]
Gender	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	C33A ([redacted] Cytion 305072)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1094

[redacted]

Protein expression	[redacted]: P53 , Prb

[illegible] C-33 A | 305072

Tumorigenic	[illegible]

[illegible]

Culture Medium	EMEM (MEM Eagle), w: 2 mM L-Glutamine, w: 2.2 g/L NaHCO3, w: EBSS ([illegible] Cytion 820100a)
Supplements	[illegible] 10% FBS [illegible]-1% NEAA
Dissociation Reagent	[illegible]
Subculturing	[illegible]-PBS [illegible] T25, [illegible]-3-5 [illegible] PBS, [illegible] 3 [illegible]
Fluid renewal	2 [illegible] 3 [illegible]
Freeze medium	[illegible] ([illegible] FBS) + 10% DMSO [illegible] C
Thawing and Culturing Cells	1. [illegible] 2. [illegible]-150°C [illegible] 3. [illegible] 37 [illegible] 4. [illegible] 70% [illegible] 5. [illegible] 15 [illegible] 8 [illegible] 6. [illegible]-300 x g [illegible] 3 [illegible] 7. [illegible]-10 [illegible] T2 8. [illegible]- [illegible]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [illegible]

[redacted]C-33 A | 305072

Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] PCR [redacted]