

HEK293T B-LCL-HROC06 | 302065

CellosaurusAccession CVCL_B7FD

HEK293T B-LCL-HROC06

Surface antigens CD19

Viruses EBV

HEK293T

Culture Medium RPMI 1640, w: 2.0 mM $\text{CaCl}_2 \cdot 2\text{H}_2\text{O}$, w: 2.0 g/L NaHCO_3 (Cytion 820700a)

Supplements 10% FBS

Subculturing 1:5

Freeze medium RPMI 1640, w: 2.0 mM $\text{CaCl}_2 \cdot 2\text{H}_2\text{O}$, w: 2.0 g/L NaHCO_3 (Cytion 820700a), 10% FBS + 10% DMSO

Thawing and Culturing Cells

1. Thaw cells rapidly in a 37°C water bath.
2. Centrifuge cells at 300 x g for 3 minutes.
3. Resuspend cells in 15 ml of culture medium.
4. Seed cells into a T25 flask at 70% confluency.
5. Incubate cells at 37°C in 5% CO_2 for 24 hours.
6. Harvest cells for analysis.
7. Seed cells into a T25 flask at 70% confluency.
8. Incubate cells at 37°C in 5% CO_2 for 24 hours.

Incubation Atmosphere 37°C, 5% CO_2

