

Product sheet

XXXXX B-LCL-HROC173 | 302039

XXXXX XXXXX

Description	XX XXXXX XXXXX XX XXXXX XX XXXX XX XXXX XXXX XXX
Organism	XXX
Tissue	XX XXXXX
Disease	XXXXXXXXXX
Synonyms	TiBc HROC173

XXXXXXXXXXXX

Age	45 XXXX
Gender	XXX
Ethnicity	XXXXXXXX
Morphology	XXXX XXXXXX
Cell type	XXXXXXXXXX B
Growth properties	XXXXXX

XXXXXXXXXX XXXXXXXXXXXXXXX

Citation	B-LCL-HROC173 (XXXX XXXXXX Cytion 302039)
Biosafety level	2
NCBI_TaxID	9606

XXXXXXXXXX XXX-XXXXXXXXXXXX

Viruses	XXXXXXXXXXXX EBV
----------------	------------------

XXXXXX

Product sheet

HEK293T-B-LCL-HROC173 | 302039

Culture Medium RPMI 1640, w: 2.0 mM β -mercaptoethanol, w: 2.0 g/L NaHCO₃ (Cytion 820700a)

Supplements 10% FBS

Subculturing 1:5

Freeze medium 10% FBS + 10% DMSO

- Thawing and Culturing Cells**
1. Thaw cells rapidly in a 37°C water bath.
 2. Centrifuge at 300 x g for 3 minutes.
 3. Resuspend cells in 15 ml of fresh medium.
 4. Seed cells into a T25 flask at 70% confluency.
 5. Incubate at 37°C in 5% CO₂.
 6. Harvest cells when 70-80% confluent.
 7. Wash cells with PBS.
 8. Harvest cells using trypsin.

Incubation Atmosphere 37°C, 5% CO₂

Flask Coating None

Freezing Procedure Freeze at -80°C

Shipping Conditions Ship at -80°C

