Product sheet

OS-RC-2 | 305086

Description

Description	OS-RC-2 (RCC) RCC OS-RC-2 (TNF-α)
Organism	
Tissue	
Disease	
Synonyms	OSRC2, RC-2

Donor

Age	52
Gender	
Ethnicity	
Morphology	
Growth properties	

Publication

Citation	OS-RC-2 (Cytion 305086)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1626

-

OS-RC-2 | 305086

Tumorigenic	

Culture

Culture Medium	RPMI 1640, w: 2.0 mM , w: 2.0 g/L NaHCO3 (Cytion 820700a)
Supplements	10% FBS
Dissociation Reagent	
Subculturing	PBS PBS, 3 .
Split ratio	1:2 1:4
Fluid renewal	2 3
Freeze medium	FBS) + 10% DMSO C

Thawing and Culturing Cells

1.
2. -150°C
3. 37
4. 70% .
5. 15 8
6. -300 x g 3
7. -10 T2
8. .

[redacted]OS-RC-2 | 305086

Incubation Atmosphere	37°C, 5%$_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted]/ [redacted]/ HLA

Sterility	[redacted] PCR [redacted]