



Product sheet

OCOD | 400417

OCOD

**Culture Medium** RPMI 1640, w: 2.0 mM  $\beta$ -mercaptoethanol, w: 2.0 g/L NaHCO<sub>3</sub> (Cytion 820700a)

**Supplements** 10% FBS

**Dissociation Reagent** Trypsin

**Subculturing** Cells are harvested by trypsinization and centrifugation. Cells are resuspended in PBS and seeded into T25, 3-5 flasks in 10% FBS. Cells are harvested after 3-5 days.

**Fluid renewal** 3-5 days

**Freeze medium** RPMI 1640, w: 2.0 mM  $\beta$ -mercaptoethanol, w: 2.0 g/L NaHCO<sub>3</sub> (Cytion 820700a) + 10% FBS + 10% DMSO

- Thawing and Culturing Cells**
1. Thaw cells in a 37°C water bath.
  2. Centrifuge cells at 300 x g for 3 minutes.
  3. Wash cells in PBS.
  4. Resuspend cells in 70% FBS.
  5. Seed cells into T25 flasks.
  6. Incubate cells in 37°C, 5% CO<sub>2</sub>.
  7. Harvest cells after 3-5 days.
  8. Resuspend cells in PBS.

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>

**Flask Coating** Cell culture flasks are coated with Cell Culture Adhesive.

Product sheet

**OXD | 400417**

**Freezing Procedure**

...

**Shipping Conditions**

...

**Storage Conditions**

... -150 °C 196 ...

**OXD / OXD / HLA**

**Sterility**

... PCR ...  
... , ...