





# HK EGFP- / H2B-mCherry | 300670

## Thawing and Culturing Cells

1. Thaw the vial quickly in a 37°C water bath, and transfer the cells to a pre-warmed complete medium.
2. Allow the cells to settle at the bottom of the tube, centrifuge at 300 x g for 3 minutes at 150°C, and resuspend the cells in 1 ml of complete medium.
3. Seed the cells into a 37°C incubator.
4. Allow the cells to settle at the bottom of the tube, centrifuge at 300 x g for 3 minutes at 150°C, and resuspend the cells in 1 ml of complete medium.
5. Seed the cells into a 37°C incubator.
6. Allow the cells to settle at the bottom of the tube, centrifuge at 300 x g for 3 minutes at 150°C, and resuspend the cells in 1 ml of complete medium.
7. Seed the cells into a 37°C incubator.
8. Allow the cells to settle at the bottom of the tube, centrifuge at 300 x g for 3 minutes at 150°C, and resuspend the cells in 1 ml of complete medium.

**Incubation Atmosphere** 37°C, 5% CO<sub>2</sub>, humidified

**Flask Coating** None

**Freezing Procedure** Harvest cells into a 15 ml centrifuge tube, centrifuge at 300 x g for 3 minutes at 150°C, and resuspend the cells in 1 ml of freezing medium. Store at -80°C.

**Shipping Conditions** Store at -80°C.

**Storage Conditions** Store at -150°C for 196 weeks.

## HLA

**Sterility** The cells are free of mycoplasmas and PCR detectable. The cells are free of mycoplasmas and PCR detectable.