Product sheet

[redacted] Jiyoye | 300366

[redacted]

Description	[redacted] Jiyoye [redacted] Burkitt [redacted]. [redacted] Burkitt [redacted] MYC. [redacted] Jiyoye [redacted], [redacted] Jiyoye [redacted],
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted] B
Metastatic site	[redacted] B
Applications	[redacted] B, [redacted].
Synonyms	JIYOYE, Jijoye, JIJOYE, P-2003, P3 (Jiyoye), P-3-Jijoye, P3-Jiyoye, P-3J, P3J, Jiyoye(P-2003), Jiyoye (P-2003), JiyoyeP-2003, OB2, GM04678

[redacted]

Age	7 [redacted]
Gender	[redacted]
Ethnicity	[redacted]
Cell type	[redacted] B
Growth properties	[redacted]

[redacted]

Citation	Jiyoye ([redacted] Cytion 300366)
Biosafety level	1

[redacted] Jiyoye | 300366

NCBI_TaxID	9606
CellosaurusAccession	CVCL_1317

[redacted]

Antigen expression	CD10+, CD19+
Karyotype	46, [redacted]

[redacted]

Culture Medium	RPMI 1640, w: 2.0 mM [redacted], w: 2.0 g/L NaHCO3 ([redacted] Cytion 820700a)
Supplements	[redacted] 10% FBS
Subculturing	[redacted] 5 x 10
Seeding density	3 x 10^5 [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Post-Thaw Recovery	[redacted] (48 [redacted])
Freeze medium	[redacted] (FBS) + 10% DMSO [redacted]

[redacted] Jiyoye | 300366

Thawing and Culturing Cells

1. [redacted]
2. [redacted] -150°C [redacted]
3. [redacted] 37 [redacted]
4. [redacted] 70% [redacted]
5. [redacted] 15 [redacted] 8 [redacted]
6. [redacted] -300 x g [redacted] 3 [redacted]
7. [redacted] -10 [redacted] T2
8. [redacted]

Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted] -78°C
Shipping Conditions	[redacted] -78°C
Storage Conditions	[redacted] -150 [redacted] 196 [redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] PCR [redacted] [redacted]

■■■ Jiyoye | 300366

■■■■■ HLA	**A***: '03:01:01, '74:01:01 **B***: '53:01:01, '58:01:01 **C***: 04:01:01 **DRB1***: 11:02:01, 15:03:01 **DQA1***: '01:02:01, '05:05:01 **DQB1***: 03:19:01, 06:02:01 **DPB1***: '01:01:01, '02:01:02 **E**: 01:01, 01:03