Product sheet

# [redacted] P3X63Ag8.653 | 400118

## [redacted]

| | |
|---|---|
| **Description** | [redacted] |
| **Organism** | [redacted] |
| **Tissue** | [redacted] |
| **Disease** | [redacted] |
| **Synonyms** | P3-x63-Ag8.653, P3-x63-Ag8-653, P3-x63-Ag8 653, P3-x63-Ag 8.653, P3-x63Ag8.653, P3-x63.Ag8.653, P3/x63/Ag8.653, P3x63 Ag8.653, P3x63 AG8-653, P3x63-Ag8.653, P3x63-Ag8.653, P3x63 AG 8.653, P3x63Ag8653, P3-x63-Ag8-6-5-3, P3x63Ag8-6-5-3, P3.times.63 Ag8.653, P3.653, x63-Ag 8.6.5.3, x63-AG 8.653, x63-Ag8-653, x63-Ag8.653, x63.Ag8.653, x63Ag8-653, x63Ag8.653, x63AG8.653, P3-653, GM03570, GM3570, GM03570E, NS653 |

## [redacted]

| | |
|---|---|
| **Breed/Subspecies** | BALB/c |
| **Gender** | [redacted] |
| **Morphology** | [redacted] |
| **Growth properties** | [redacted] |

## [redacted]

| | |
|---|---|
| **Citation** | P3x63Ag8.653 ([redacted] Cytion 400118) |
| **Biosafety level** | 1 |
| **NCBI_TaxID** | 10090 |
| **CellosaurusAccession** | CVCL_4032 |

## [redacted]

| | |
|---|---|
| **Viruses** | [redacted] |

## P3X63Ag8.653 | 400118

| | |
|---|---|
| **Culture Medium** | RPMI 1640, w: 2.0 mM , w: 2.0 g/L NaHCO3 ( Cytion 820700a) |
| **Supplements** | 10% FBS |
| **Dissociation Reagent** | |
| **Subculturing** | 15 -3-5 |
| **Seeding density** | 2 x 10 |
| **Fluid renewal** | 3-4 |
| **Post-Thaw Recovery** | 48 |
| **Freeze medium** | FBS) + 10% DMSO |
| **Thawing and Culturing Cells** | |

1. 
2. -150°C 
3. 37 
4. 70% 
5. 15 8 
6. -300 x g 3 
7. -10 T2
8. 

## [redacted]P3X63Ag8.653 | 400118

| | |
|---|---|
| **Incubation Atmosphere** | 37°C, 5%$_{CO2}$, [redacted] |
| **Flask Coating** | [redacted], [redacted] |
| **Freezing Procedure** | [redacted] |
| **Shipping Conditions** | [redacted] |
| **Storage Conditions** | [redacted] |

## [redacted] / [redacted] / HLA

| | |
|---|---|
| **Sterility** | [redacted] PCR [redacted]<br>[redacted] |