Product sheet

[redacted] C3H/10T1/2 | 305164

[redacted]

Description	[redacted] C3H/10T1/2, Clone 8 [redacted] C3H. [redacted]
Organism	[redacted]
Tissue	[redacted]
Synonyms	C3H/10T1/2 Clone 8, C3H/10T1/2-clone8, C3H/10T1/2 CL8, C3H10T1/2 clone8, C3H10T1/2CL8, 10T1/2(clone8), 10T1/2, C3H10T1-2, C3H10T1/2, C3H-10T1/2, C3H 10T1/2, C3H/10T1/2

[redacted]

Breed/Subspecies	C3H
Age	[redacted]
Morphology	[redacted]
Growth properties	[redacted]

[redacted]

Citation	C3H/10T1/2, [redacted] 8 ([redacted] Cytion 305164)
Biosafety level	1
NCBI_TaxID	10090
CellosaurusAccession	CVCL_0190

[redacted]

Tumorigenic	[redacted]

[redacted]

[redacted] C3H/10T1/2 | 305164

Culture Medium	BME, w: 4.5 g/L [redacted], w: 4 mM L-[redacted], w: 1.5 g/L NaHCO3, w: 1.0 mM [redacted] ([redacted] BME; [redacted]
Supplements	[redacted] 10% FBS
Dissociation Reagent	[redacted]
Subculturing	[redacted] PBS [redacted] T25, [redacted] 3-5 [redacted] PBS, [redacted] 3 [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO [redacted]
Thawing and Culturing Cells	1. [redacted] 2. [redacted] 150°C [redacted] 3. [redacted] 37 [redacted] 4. [redacted] 70% [redacted] 5. [redacted] 15 [redacted] 8 [redacted] 6. [redacted] 300 x g [redacted] 3 [redacted] 7. [redacted] 10 [redacted] T2 8. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]

[redacted] C3H/10T1/2 | 305164

Freezing Procedure	[redacted] -78°C
Shipping Conditions	[redacted] -78°C
Storage Conditions	[redacted] -150 [redacted] 196 [redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] PCR [redacted] [redacted]