Product sheet

[redacted] HK Mad2-LAP/H2B-mCherry | 300920

[redacted]

Description	[redacted] HK Mad2-LAP/H2B-mCherry [redacted] H2B-mCherry, [redacted] H2B [redacted] mCherry, [redacted]
Organism	[redacted]
Tissue	[redacted]
Disease	[redacted]
Synonyms	HeLa Kyoto Mad2-LAP [redacted]-H2B-mCherry, HeLa Kyoto Mad2-LAP

[redacted]

Age	30 [redacted]
Gender	[redacted]
Ethnicity	[redacted]-[redacted]
Morphology	[redacted]
Growth properties	[redacted], [redacted]

[redacted]

Citation	HK Mad2-LAP/H2B-mCherry ([redacted] Cytion 300920)
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_1D65
Depositor	[redacted] (EMBL)
GMO Status	GMO-S1: [redacted] HeLa Kyoto [redacted] Mad2-LAP [redacted]-H2B-mCherry [redacted]

[redacted]HK Mad2-LAP/H2B-mCherry | 300920

[redacted]-[redacted]

Protein expression	Mad2-LAP/H2B-mCherry

[redacted]

Culture Medium	DMEM, w: 4.5 g/L [redacted], w: 4 mM L-[redacted], w: 3.7 g/L NaHCO3, w: 1.0 mM [redacted] (Cytion 820300a)
Supplements	10% FBS
Dissociation Reagent	[redacted]
Subculturing	[redacted]-PBS [redacted] T25, [redacted]-3-5 [redacted] PBS, [redacted] 3 [redacted]
Seeding density	1 x 10^4 [redacted]
Fluid renewal	2 [redacted] 3 [redacted]
Post-Thaw Recovery	[redacted] 24 [redacted]
Freeze medium	[redacted] (FBS) + 10% DMSO [redacted]

[redacted] HK Mad2-LAP/H2B-mCherry | 300920

Thawing and Culturing Cells	1. [redacted] 2. [redacted] 3. [redacted] 4. [redacted] 5. [redacted] 6. [redacted] 7. [redacted] 8. [redacted]
Incubation Atmosphere	37°C, 5% $_{CO2}$, [redacted]
Flask Coating	[redacted]
Freezing Procedure	[redacted]
Shipping Conditions	[redacted]
Storage Conditions	[redacted]

[redacted] / [redacted] / HLA

Sterility	[redacted] PCR [redacted] [redacted]