

MC3T3-E1 | 305187

Description	MC3T3-E1	MC3T3-E1	MC3T3-E1	MC3T3-E1
	MC3T3-E1		MC3T3-E1	

in vitro

Organism

Tissue

Applications

Synonyms	Mc3T3-E1, MC3T3E1, MC-3T3-E1, MC 3T3-E1
-----------------	---

Breed/Subspecies	C57BL/6
-------------------------	---------

Age	1
------------	---

Gender

Morphology

Cell type

Growth properties

Citation	MC3T3-E1 Cytion	305187
-----------------	-----------------	--------

Biosafety level	1
------------------------	---

NCBI_TaxID	10090
-------------------	-------

CellosaurusAccession	CVCL_0409
-----------------------------	-----------

MC3T3-E1 | 305187

Tumorigenic

Products

Culture Medium	αMEM w 2.0mM	w	w	w 1.0mM	w 2.2g/L NaHCO3 w/o	GIBCO
-----------------------	--------------	---	---	---------	---------------------	-------

Supplements	10% FBS
--------------------	---------

Dissociation Reagent

Doubling time	24	48
----------------------	----	----

Subculturing		PBS	T25	3-5ml T75	5-10ml PBS	T25	1-2m
---------------------	--	-----	-----	-----------	------------	-----	------

Fluid renewal	2	3
----------------------	---	---

Freeze medium		FBS	10	DMSO	CM-1
----------------------	--	-----	----	------	------

MC3T3-E1 | 305187

Thawing and Culturing Cells

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

Incubation Atmosphere 37 5% CO₂

Flask Coating

Freezing Procedure -78

Shipping Conditions -78

Storage Conditions -150 -196 80

HLA

Sterility PCR