

NCI-H441 | 305219

| | | | | | |
|--------------------|----------|----------|------|---|------|
| Description | NCI-H441 | H441 | 1982 | | |
| | NCI-H441 | | | 3 | |
| | | NCI-H441 | | | |
| | NCI-H441 | 3 | | | H441 |

Organism

Tissue

Disease

Metastatic site

Synonyms H441 H-441 NCI-H441-4 NCI-441 NCIH441

Age 33

Gender

Ethnicity

Cell type

Growth properties

Citation NCI-H441 Cytion 305219

Biosafety level 1

NCBI_TaxID 9606

NCI-H441 | 305219

CellosaurusAccession CVCL_1561

Karyotype NCI-H441 44 59 52

Culture Medium RPMI1640 w 2.0mM w 2.0g/L NaHCO3 Cytion article number 820700a

Supplements 10% FBS

Dissociation Reagent

Doubling time 58

Subculturing PBS T25 3-5ml T75 5-10ml PBS T25 1-2m

Fluid renewal 2 3

Freeze medium FBS 10 DMSO CM-1

NCI-H441 | 305219

Thawing and Culturing Cells

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

Incubation Atmosphere 37 5% CO₂

Flask Coating

Freezing Procedure -78

Shipping Conditions -78

Storage Conditions -150 -196 80

HLA

Sterility PCR