Product sheet

MDA-MB-435S | 300277

Description	**MDA-MB-435 M14** MDA-MB-435S MDA-MB-435S
Organism	
Tissue	
Disease	
Metastatic site	
Applications	Metastasis and invasion research; melanoma/breast cancer controversy model; drug resistance mechanisms; tumor biology; preclinical pharmacological screening
Synonyms	MDA-MB-435s MDA-MB-435 S MDA-MB-435-S MDAMB435S BrCL15

Age	33
Gender	
Ethnicity	
Morphology	
Cell type	Epithelial cells
Growth properties	

Citation	MDA-MB-435S Cytion 300277

Product sheet

MDA-MB-435S | 300277

Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_0622
GMO Status	No genetic modification; problematic line — parental MDA-MB-435 identified as M14 melanoma derivative; use with appropriate caution and cite genetic identity

Culture Medium	DMEM:Ham's F12 (1:1) w: 3.1 g/L w: 2.5 mM L- w: 15 mM HEPES w: 0.5 mM w: 1.2 g/L NaHCO3 (Cyti
Supplements	5% FBS
Dissociation Reagent	
Subculturing	PBS T25 3-5ml T75 5-10ml PBS T25 1-2m
Split ratio	1 to 5
Seeding density	1 to 3 × 10^4 cells/cm^2
Fluid renewal	2 3
Freeze medium	FBS 10 DMSO CM-1

MDA-MB-435S | 300277

Thawing and Culturing Cells	1. 2. -150 3 3. 37 40 60 4. 70 5. 8ml 15ml 6. 300 x g 3 7. 10ml 2 T25 1 8.
Incubation Atmosphere	37 5% CO_2
Flask Coating	
Freezing Procedure	-78
Shipping Conditions	-78
Storage Conditions	-150 -196 80
Sterility	PCR