

MDA-MB-436 | 300278

<b>Description</b>	MDA-MB-436	ER	PR	2 HER2	TNBC
	MDA-MB-436	BRCA1 TP53	BRCA1		M
	MDA-MB-436	MDA-MB-436			TNBC

**Organism**

**Tissue**

**Disease**

**Metastatic site**

**Synonyms** MDA\_MB\_436, MDA MB 436, MDA-Mb-436, MDA-MB436, MDAMB436, MDA-436, MDA436, MB436, MD - -436

**Age** 43

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation** MDA-MB-436 Cytion 300278

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_0623

MDA-MB-436 | 300278

**Culture Medium** DMEM:Ham's F12 (1:1) w: 3.1 g/L w: 2.5 mM L- w: 15 mM HEPES w: 0.5 mM w: 1.2 g/L NaHCO3 (Cytion)

**Supplements** 5% FBS

**Dissociation Reagent**

**Subculturing** PBS T25 3-5ml T75 5-10ml PBS T25 1-2ml

**Fluid renewal** 2 3

**Freeze medium** FBS 10 DMSO CM-1

**Thawing and Culturing Cells**

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

**Incubation Atmosphere** 37 5% CO2

**Flask Coating**

MDA-MB-436 | 300278

---

**Freezing Procedure** -78

**Shipping Conditions** -78

**Storage Conditions** -150 -196 80

### HLA

**Sterility** PCR