

MDA-MB-468 | 300279

<b>Description</b>	MDA-MB-468				MDA-MB-468
	MDA-MB-468	TP53	TP53		
	MDA-MB-468			in vivo	

<b>Organism</b>	
<b>Tissue</b>	

<b>Disease</b>	
<b>Metastatic site</b>	

<b>Synonyms</b>	MDA-MB 468, MDA-MB468, MDAMB468, MDA-468, MDA468, MB468, MD Anderson-Metastatic Breast-468
-----------------	--

<b>Age</b>	51
------------	----

<b>Gender</b>	
<b>Ethnicity</b>	

<b>Morphology</b>	
<b>Growth properties</b>	

<b>Citation</b>	MDA-MB-468 Cytion	300279
-----------------	-------------------	--------

<b>Biosafety level</b>	1
------------------------	---

<b>NCBI_TaxID</b>	9606
-------------------	------

<b>CellosaurusAccession</b>	CVCL_0419
-----------------------------	-----------

MDA-MB-468 | 300279

**Culture Medium** DMEM:Ham's F12 (1:1) w: 3.1 g/L w: 2.5 mM L- w: 15 mM HEPES w: 0.5 mM w: 1.2 g/L NaHCO3 (Cytion)

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing** PBS T25 3-5ml T75 5-10ml PBS T25 1-2ml

**Fluid renewal** 2 3

**Freeze medium** FBS 10 DMSO CM-1

**Thawing and Culturing Cells**

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

**Incubation Atmosphere** 37 5% CO2

**Flask Coating**

MDA-MB-468 | 300279

---

**Freezing Procedure** -78

**Shipping Conditions** -78

**Storage Conditions** -150 -196 80

### HLA

**Sterility** PCR