

SNU-398 | 305274

| | | | | | |
|--------------------|---------|------------|-----|---------|------|
| Description | SNU-398 | HCC | | | |
| | SNU-398 | α - | AFP | SNU-398 | TP53 |

Organism

Tissue

Disease

| | |
|-----------------|--------------------|
| Synonyms | SNU398 NCI-SNU-398 |
|-----------------|--------------------|

| | |
|------------|----|
| Age | 42 |
|------------|----|

Gender

Ethnicity

Morphology

Growth properties

| | | |
|-----------------|-----------------|---------|
| Citation | SNU-398 (Cytion | 305274) |
|-----------------|-----------------|---------|

| | |
|------------------------|---|
| Biosafety level | 1 |
|------------------------|---|

| | |
|-------------------|------|
| NCBI_TaxID | 9606 |
|-------------------|------|

| | |
|-----------------------------|-----------|
| CellosaurusAccession | CVCL_0077 |
|-----------------------------|-----------|

SNU-398 | 305274

Surface antigens 0 Rh

Viruses B HBV

Mutational profile CTNNB1 p.Ser37Cys c.110C>G TP53 p.Ser215Ile c.644G>T

Culture Medium RPMI1640 w 2.0mM w 2.0g/L NaHCO3 Cytion article number 820700a

Supplements 10% FBS 25mM HEPES

Dissociation Reagent

Subculturing PBS T25 3-5ml T75 5-10ml PBS T25 1-2m

Split ratio 1 3 1 6

Fluid renewal 2 3

Freeze medium FBS 10 DMSO CM-1

SNU-398 | 305274

Thawing and Culturing Cells

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

Incubation Atmosphere 37 5% CO₂

Flask Coating

Freezing Procedure -78

Shipping Conditions

-78

Storage Conditions -150 -196 80

HLA

Sterility PCR