

NCI-H2195 | 305259

<b>Description</b>	NCI-H2195	SCLC	NCI-H2195
	NCI-H2195		
	NCI-H2195		in vitro

**Organism**

<b>Tissue</b>
---------------

**Disease**

<b>Metastatic site</b>
------------------------

**Synonyms** H2195 H-2195

<b>Age</b>	67
------------	----

**Gender**

<b>Ethnicity</b>
------------------

**Growth properties**

<b>Citation</b>	NCI-H2195	305259
-----------------	-----------	--------

**Biosafety level** 1

<b>NCBI_TaxID</b>	9606
-------------------	------

**CellosaurusAccession** CVCL\_1538

NCI-H2195 | 305259

<b>Mutational profile</b>	TP53, p.Val157Phe (c.469G>T)				
---------------------------	------------------------------	--	--	--	--

<b>Culture Medium</b>	DMEM:Ham's F12 (1:1)	w: 3.1 g/L	w: 1.6 mM L-	w: 15 mM HEPES	w: 1.0 mM	w: 1.2 g/L NaHCO3 (Cy
-----------------------	----------------------	------------	--------------	----------------	-----------	-----------------------

<b>Supplements</b>	10% FBS ITS+	10 nM β-	10 nM L-			
--------------------	--------------	----------	----------	--	--	--

<b>Dissociation Reagent</b>						
-----------------------------	--	--	--	--	--	--

<b>Subculturing</b>		PBS	T25	3-5ml T75	5-10ml PBS	T25	1-2m
---------------------	--	-----	-----	-----------	------------	-----	------

<b>Split ratio</b>	1:2	1:3					
--------------------	-----	-----	--	--	--	--	--

<b>Fluid renewal</b>	2						
----------------------	---	--	--	--	--	--	--

<b>Freeze medium</b>		FBS	10 DMSO				CM-1
----------------------	--	-----	---------	--	--	--	------

<b>Thawing and Culturing Cells</b>	1.						
	2.		-150		3		
	3.		37		40 60		
	4.	70					
	5.		8ml	15ml			
	6.	300 x g 3					
	7.	10ml		2 T25			1
	8.						

