

CHO-TACD2 | 305415

Description					6,250	
	CHO-TACD2	TACD2	1	12,600		CHO
		CXCR7				

Organism

Tissue

Age

Gender

Morphology

Growth properties

Citation CHO-TACD2 (Cytion 305415)

Biosafety level 1

NCBI_TaxID 10029

GMO Status GMO-S1 CHO TACD2

Receptors expressed TACD2 TROP2 GA733-1

CHO-TACD2 | 305415

Culture Medium	DMEM:Ham's F12 (1:1)	3.1 g/L	2.5 mM L-	15 mM HEPES	0.5 mM	1.2 g/L NaHCO ₃ (Cytion arti
	CHO	A InSCREENeX	InSCREENeX	INS-ME-1039		

Supplements	5 FBS	0.5 mg/mL	Geneticin	G418-Sulfat
--------------------	-------	-----------	-----------	-------------

Dissociation Reagent	-EDTA
-----------------------------	-------

Subculturing	PBS	PBS _{CO2}	2 3	Trypsin/EDTA	T25
---------------------	-----	--------------------	-----	--------------	-----

Fluid renewal	2 3
----------------------	-----

Post-Thaw Recovery	T25	1:2 1:3	24
---------------------------	-----	---------	----

Freeze medium	FBS	10 DMSO	CM-1
----------------------	-----	---------	------

Thawing and Culturing Cells	1.			
	2.		-150	3
	3.		37	40 60
	4.	70		
	5.		8ml	15ml
	6.	300 x g 3		
	7.	10ml		2 T25
	8.			

