Product sheet

CHO-TACD2 | 305415

Description	**6,250** CHO-TACD2 TACD2 1 12,600 CHO TACD2 TROP2
Organism	
Tissue	
Disease	TACD2/TROP2 (GA733-1)
Applications	ADC TROP2
Age	
Gender	
Morphology	
Cell type	
Growth properties	
Citation	CHO-TACD2 (Cytion 305415)
Biosafety level	1
NCBI_TaxID	10029
CellosaurusAccession	CVCL_A8X3

Product sheet

CHO-TACD2 | 305415

GMO Status	GMO-S1 CHO TACD2
Receptors expressed	TACD2 TROP2 GA733-1
Culture Medium	DMEM:Ham's F12 (1:1) 3.1 g/L 2.5 mM L- 15 mM HEPES 0.5 mM 1.2 g/L NaHCO3 (Cytion arti CHO A InSCREENeX InSCREENeX INS-ME-1039
Supplements	5 FBS 0.5 mg/mL Geneticin G418-Sulfat
Dissociation Reagent	-EDTA
Doubling time	14 16
Subculturing	PBS PBS$_{CO2}$ 2 3 Trypsin/EDTA T25
Split ratio	1 5
Seeding density	2 5×10^4 $/cm^2$
Fluid renewal	2 3
Post-Thaw Recovery	T25 1:2 1:3 24
Freeze medium	FBS 10 DMSO CM-1

CHO-TACD2 | 305415

Thawing and Culturing Cells	1. 2. -150 3 3. 37 40 60 4. 70 5. 8ml 15ml 6. 300 x g 3 7. 10ml 2 T25 1 8.
Incubation Atmosphere	37 5% CO_2
Flask Coating	
Freezing Procedure	-78
Shipping Conditions	-78
Storage Conditions	-150 -196 80
Sterility	PCR