

**CHO-CCR8 | 305418**

**Description**

CHO-CCR8	1	8,000	CCR8	CHO
CCR8				

**Organism**

**Tissue**

**Age**

**Gender**

**Morphology**

**Growth properties**

**Citation** CHO-CCR8 (Cytion 305418)

**Biosafety level** 1

**NCBI\_TaxID** 10029

**GMO Status** GMO-S1 CHO GPCR CCR8

**Receptors expressed** CCR8 CHEMR1 CDw198

**CHO-CCR8 | 305418**

<b>Culture Medium</b>	DMEM:Ham's F12 (1:1)	3.1 g/L	2.5 mM L-	15 mM HEPES	0.5 mM	1.2 g/L NaHCO <sub>3</sub> (Cytion arti
	CHO	A InSCREENeX	InSCREENeX	INS-ME-1039		

<b>Supplements</b>	5 FBS	0.5 mg/mL	Geneticin	G418-Sulfat
--------------------	-------	-----------	-----------	-------------

<b>Dissociation Reagent</b>	-EDTA
-----------------------------	-------

<b>Subculturing</b>	PBS	PBS <sub>CO2</sub>	2 3	Trypsin/EDTA	T25
---------------------	-----	--------------------	-----	--------------	-----

<b>Fluid renewal</b>	2 3
----------------------	-----

<b>Post-Thaw Recovery</b>	T25	1:2 1:3	24
---------------------------	-----	---------	----

<b>Freeze medium</b>	FBS	10 DMSO	CM-1
----------------------	-----	---------	------

<b>Thawing and Culturing Cells</b>	1.			
	2.		-150	3
	3.		37	40 60
	4.	70		
	5.		8ml	15ml
	6.	300 x g 3		
	7.	10ml		2 T25
	8.			

<b>Incubation Atmosphere</b>	37	5% CO <sub>2</sub>
------------------------------	----	--------------------

CHO-CCR8 | 305418

---

**Flask Coating**

**Freezing  
Procedure**

-78

**Shipping  
Conditions**

-78

**Storage  
Conditions**

-150 -196

80

**HLA**

**Sterility**

PCR