

Product sheet

HEK293-TACD2 | 305424

Description

6,250

HEK293-TACD2 TACD2 1 10,000 HEK293 inscreenex
TACD2

Organism

Tissue

Disease HEK293

Applications TROP2 TACD2/TACSTD2 ADC ADCC/CDC

Age

Gender

Morphology

Cell type

Growth properties

Citation HEK293-TACD2 (Cytion 305424)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_6G29

HEK293-TACD2 | 305424

GMO Status	GMO-S1	HEK293	TACD2
Receptors expressed	TACD2	TROP2	GA733-1
Culture Medium	RPMI1640 w 2.0mM	w 2.0g/L NaHCO3	Cytion article number 820700a
Supplements	10% FBS 1mM	10mM HEPES 1% NEAA	1 mg/mL Geneticin G418-Sulfat
Dissociation Reagent	-EDTA		
Doubling time	24	36	
Subculturing		PBS	PBS _{CO2} 2 3 Trypsin/EDTA T25
Split ratio	1	5	
Seeding density	2	4 × 10 ⁴	² /cm
Fluid renewal	2	3	
Post-Thaw Recovery	T25	1 2 1 3	24
Freeze medium		FBS 10	DMSO CM-1

Product sheet

HEK293-TACD2 | 305424

Thawing and
Culturing Cells

1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25
8.

Incubation
Atmosphere

37 5% CO₂

Flask Coating

Freezing
Procedure

-78

Shipping
Conditions

-78

Storage
Conditions

-150 -196 80

Sterility

PCR