

HCC70 | 305464

| | | | | |
|--------------------|-------|------------|------|-------|
| Description | HCC70 | TNBC | HER2 | HCC70 |
| | HCC70 | TP53 R248Q | GOF | HCC70 |
| | HCC70 | TNBC | | |

Organism

| |
|---------------|
| Tissue |
|---------------|

Disease

| | |
|-----------------|-----------------------------|
| Synonyms | HCC-70, HCC 70, HCC0070, 70 |
|-----------------|-----------------------------|

| | |
|------------|----|
| Age | 49 |
|------------|----|

Gender

| |
|------------------|
| Ethnicity |
|------------------|

Morphology

| |
|------------------|
| Cell type |
|------------------|

Growth properties

| | |
|-----------------|---------------------|
| Citation | HCC70 Cytion 305464 |
|-----------------|---------------------|

Biosafety level 1

| | |
|-------------------|------|
| NCBI_TaxID | 9606 |
|-------------------|------|

CellosaurusAccession CVCL_1270

HCC70 | 305464

| | | |
|---------------------------|--------|----|
| Protein expression | 2 EGP2 | 19 |
|---------------------------|--------|----|

Oncogenes Her2/neu- p53+

| | | |
|-----------------------|------------------|---|
| Culture Medium | RPMI1640 w 2.0mM | w 2.0g/L NaHCO3 Cytion article number 820700a |
|-----------------------|------------------|---|

Supplements 10% FBS

| | | |
|-----------------------------|--|--|
| Dissociation Reagent | | |
|-----------------------------|--|--|

Fluid renewal 2 3

| | | |
|----------------------|-----|---------|
| Freeze medium | FBS | 10 DMSO |
|----------------------|-----|---------|

CM-1

Thawing and Culturing Cells

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

