

MALME-3M | 305583

Description	MALME-3M
	MALME-3M MALME-3M GH GH
Organism	
Tissue	
Disease	
Metastatic site	
Synonyms	Malme-3M MALME 3M Malme-3 M MALME.3M Malme3M MALME3M Malme-3 Monolayer
Age	43
Gender	
Ethnicity	
Morphology	
Cell type	
Growth properties	
Citation	MALME-3M Cytion 305583
Biosafety level	1
NCBI_TaxID	9606

Product sheet

MALME-3M | 305583

CellosaurusAccession CVCL_1438

Antigen expression HLA A2 Aw30 B13 B40 ± DRw7

Tumorigenic

Culture Medium IMDM, w: 4.5 g/L , w: 4 mM L- , w: 25 mM HEPES, w: 1.0 mM , w: 3.024 g/L NaHCO3 (Cytion article numb

Supplements 20 FBS

Dissociation Reagent

Subculturing PBS T25 3 5ml T75 5 10ml PBS TrypLE Express

Seeding density $3 \times 10^4 / \text{cm}^2$

Fluid renewal 2 3

Freeze medium FBS 10 DMSO CM-1

Thawing and Culturing Cells

1.

2. -150 3

3. 37 40 60

4. 70

5. 8ml 15ml

6. 300 x g 3

7. 10ml 2 T25 1

8.

Incubation Atmosphere

37 5%
CO₂

Flask Coating

Shipping Conditions

-78

Storage Conditions

-150 -196 80

Sterility

PCR