

NCI-H889 | 305842

Description	NCI-H889	SCLC								SCLC
	NCI-H889	II IGF-II	IGF-R			IGF-I mRNA				IGF-I
	NCI-H889					DNA				

Organism

Tissue

Disease

Metastatic site

Synonyms H889 H-889 NCIH889

Age 69

Gender

Ethnicity

Morphology

Cell type

Growth properties

Citation NCI-H889 Cytion 305842

Biosafety level 1

NCBI_TaxID 9606

NCI-H889 | 305842

CellosaurusAccession CVCL_1598

Mutational profile TP53 p.Cys242Ser (c.725G>C) (PubMed=1312696, PubMed=1565469)

Culture Medium RPMI1640 w 2.0mM w 2.0g/L NaHCO3 Cytion article number 820700a

Supplements 10% FBS

Dissociation Reagent

Fluid renewal 2 3

Freeze medium FBS 10 DMSO

CM-1

Thawing and Culturing Cells

- 1.
2. -150
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25
- 8.

1

NCI-H889 | 305842

**Incubation
Atmosphere** 37°C 5%
CO₂

Flask Coating

**Shipping
Conditions** -78°C

**Storage
Conditions** -150 -196°C 80°C

HLA

Sterility PCR