Product sheet

HK/FDC | 300205

Description	HK/FDC HK HK/FDC IgM CD40 B VCAM-1 ICAM-
Organism	
Tissue	
Disease	
Metastatic site	
Applications	B FDC-B B FDC
Age	
Gender	
Ethnicity	
Morphology	
Cell type	
Growth properties	
Citation	HK/FDC Cytion 300205
Biosafety level	1
NCBI_TaxID	9606
CellosaurusAccession	CVCL_IY38

HK/FDC | 300205

GMO Status	GMO-S1	HK/FDC	Cytion/Inscreenex	
Viruses	Inscreenex i.A.			
Culture Medium	DMEM:Ham's F12 (1:1) w: 3.1 g/L	w: 2.5 mM L-	w: 15 mM HEPES w: 0.5 mM	w: 1.2 g/L NaHCO3 (Cyti
Supplements	10% FBS			
Dissociation Reagent				
Doubling time	24 48			
Split ratio	1 3			
Seeding density	1 3×10^4 /cm²			
Fluid renewal	2 3			
Freeze medium		FBS	10 DMSO	CM-1

HK/FDC | 300205

Thawing and Culturing Cells	1. 2. -150 3 3. 37 40 60 4. 70 5. 8ml 15ml 6. 300 x g 3 7. 10ml 2 T25 1 8.
Incubation Atmosphere	37 5% CO_2
Flask Coating	
Freezing Procedure	-78
Shipping Conditions	-78
Storage Conditions	-150 -196 80
Sterility	PCR