

NCI-H1755 | 305834

Description	NCI-H1755	NSCLC					
	NCI-H1755						
	In vitro	NCI-H1755	10%	RPMI-1640		NCI-H1755	

Natio
PI3K/AKT

Organism

Tissue

Disease

Synonyms H1755 H-1755 NCIH1755

Age 65

Gender

Ethnicity

Cell type

Growth properties

Citation NCI-H1755 Cytion 305834

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1492

NCI-H1755 | 305834

Mutational profile	BRAF	p.Gly469Ala (c.1406G>C)	TP53	p.Cys242Phe (c.725G>T)
---------------------------	------	-------------------------	------	------------------------

Culture Medium	RPMI1640 w 2.0mM	w 2.0g/L NaHCO3	Cytion article number 820700a
-----------------------	------------------	-----------------	-------------------------------

Supplements	10% FBS
--------------------	---------

Dissociation Reagent	
-----------------------------	--

Fluid renewal	2 3
----------------------	-----

Freeze medium	FBS	10 DMSO	CM-1
----------------------	-----	---------	------

Thawing and Culturing Cells	1.			
	2.		-150	3
	3.		37	40 60
	4.	70		
	5.		8ml	15ml
	6.	300 x g 3		
	7.	10ml		2 T25
	8.			

Incubation Atmosphere	37	5% CO2
------------------------------	----	--------

Flask Coating	
----------------------	--

NCI-H1755 | 305834

**Freezing
Procedure**

-78

**Shipping
Conditions**

-78

**Storage
Conditions**

-150 -196

80

HLA

Sterility

PCR