

**Hep-G2/C3A | 305891**

|                    |            |     |            |          |
|--------------------|------------|-----|------------|----------|
| <b>Description</b> | Hep-G2/C3A | C3A | 15         | Hep-G2   |
|                    | Hep-G2/C3A |     | Hep-G2/C3A | in vitro |

**Organism**

**Tissue**

**Disease**

|                 |                          |
|-----------------|--------------------------|
| <b>Synonyms</b> | HepG2/C3A Hep G2/C3A C3A |
|-----------------|--------------------------|

|            |    |
|------------|----|
| <b>Age</b> | 15 |
|------------|----|

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

|                 |                   |        |
|-----------------|-------------------|--------|
| <b>Citation</b> | Hep-G2/C3A Cytion | 305891 |
|-----------------|-------------------|--------|

|                        |   |
|------------------------|---|
| <b>Biosafety level</b> | 1 |
|------------------------|---|

|                   |      |
|-------------------|------|
| <b>NCBI_TaxID</b> | 9606 |
|-------------------|------|

|                             |           |
|-----------------------------|-----------|
| <b>CellosaurusAccession</b> | CVCL_1098 |
|-----------------------------|-----------|

**Hep-G2/C3A | 305891**

|                           |             |
|---------------------------|-------------|
| <b>Mutational profile</b> | p.Gln61Leu, |
|---------------------------|-------------|

|                       |   |
|-----------------------|---|
| <b>Culture Medium</b> | EMEM MEM Eagle w 2 mM L- w 2.2 g/L NaHCO3 w EBSS Cytion 820100a |
|-----------------------|---|

|                    |         |
|--------------------|---------|
| <b>Supplements</b> | 10% FBS |
|--------------------|---------|

|                             |  |
|-----------------------------|--|
| <b>Dissociation Reagent</b> |  |
|-----------------------------|--|

|                      |         |
|----------------------|---------|
| <b>Freeze medium</b> | 10 DMSO |
|----------------------|---------|

|                                    |    |           |      |       |
|------------------------------------|----|-----------|------|-------|
| <b>Thawing and Culturing Cells</b> | 1. |           |      |       |
|                                    | 2. |           | -150 | 3     |
|                                    | 3. |           | 37   | 40 60 |
|                                    | 4. | 70        |      |       |
|                                    | 5. |           | 8ml  | 15ml  |
|                                    | 6. | 200 x g 5 |      |       |
|                                    | 7. |           |      |       |

|                              |           |
|------------------------------|-----------|
| <b>Incubation Atmosphere</b> | 37 5% CO2 |
|------------------------------|-----------|

|                      |  |
|----------------------|--|
| <b>Flask Coating</b> |  |
|----------------------|--|

|                            |     |
|----------------------------|-----|
| <b>Shipping Conditions</b> | -78 |
|----------------------------|-----|

Hep-G2/C3A | 305891

**Storage  
Conditions**

-150 -196

80

**HLA**