

NCI-H1793 | 305911

| | | | | | | | | |
|--------------------|-----------|-----------|------|------|--|------|----------|-----|
| Description | NCI-H1793 | NSCLC | | | | | | |
| | NCI-H1793 | | KRAS | G12C | | MAPK | PI3K-AKT | |
| | | NCI-H1793 | KRAS | | | | | RAS |

NCI-H179

Organism

| |
|---------------|
| Tissue |
|---------------|

Disease

| | |
|-----------------|-----------------------|
| Synonyms | H1793 H-1793 NCIH1793 |
|-----------------|-----------------------|

| | |
|------------|----|
| Age | 52 |
|------------|----|

Gender

| |
|------------------|
| Ethnicity |
|------------------|

Morphology

| |
|--------------------------|
| Growth properties |
|--------------------------|

| | | |
|-----------------|------------------|--------|
| Citation | NCI-H1793 Cytion | 305911 |
|-----------------|------------------|--------|

Biosafety level 1

| | |
|-------------------|------|
| NCBI_TaxID | 9606 |
|-------------------|------|

CellosaurusAccession CVCL_1496

NCI-H1793 | 305911

| | | |
|---------------------------|-------------|-------------|
| Mutational profile | p.Arg209Ter | p.Arg273His |
|---------------------------|-------------|-------------|

| | | |
|-----------------------|--|--------|
| Culture Medium | HITES | |
| | DF12 | |
| | <ul style="list-style-type: none"> • 0.005 mg/ml • 0.01 mg/ml • 30 nM • 10 nM • 10 nM β- • 2 mM L- • 5% | 4.5 mM |

Dissociation Reagent

| | | | |
|----------------------|-----|---------|------|
| Freeze medium | FBS | 10 DMSO | CM-1 |
|----------------------|-----|---------|------|

Thawing and Culturing Cells

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

NCI-H1793 | 305911

**Incubation
Atmosphere**

37 5%
CO₂

**Shipping
Conditions**

-78

**Storage
Conditions**

-150 -196 80

HLA

Sterility

PCR