# Product sheet

## 4T1-GFP | 305625

| | |
|---|---|
| **Description** | 4T1-GFP 4T1 GFP in vitro in vivo<br>4T1 GFP<br>4T1 4T1 CCL4<br>ZsGreen1 1 5 µg/mL |
| **Organism** | |
| **Tissue** | |
| **Disease** | |
| **Metastatic site** | BALB/c |
| **Applications** | GFP |
| **Synonyms** | 4T1-A 4T1.0 4T1/WT |

| | |
|---|---|
| **Age** | |
| **Gender** | |
| **Morphology** | |
| **Cell type** | |
| **Growth properties** | |

| | |
|---|---|
| **Citation** | 4T1-GFP Cytion 305625 |
| **Biosafety level** | 1 |

## 4T1-GFP | 305625

| | | |
|---|---|---|
| **NCBI_TaxID** | 10090 | |
| **CellosaurusAccession** | CVCL_0125 | |
| **GMO Status** | GMO-S1 | ZsGreen1 |

| | |
|---|---|
| **Surface antigens** | |
| **Antigen expression** | ZsGreen1 |

| | | |
|---|---|---|
| **Culture Medium** | RPMI1640 w 2.1mM | w 2.0g/L NaHCO3 Cytion article number 820700a |
| **Supplements** | 10% FBS | |
| **Dissociation Reagent** | | |
| **Doubling time** | 12.6 | |
| **Split ratio** | 1 3 | |
| **Seeding density** | 1 3×10⁴/cm² | |
| **Fluid renewal** | 2 3 | |
| **Freeze medium** | | 10 DMSO |

## 4T1-GFP | 305625

| | |
|---|---|
| **Thawing and Culturing Cells** | 1.<br>2. -150 3<br>3. 37 40 60<br>4. 70<br>5. 8ml 15ml<br>6. 200 x g 5<br>7. |
| **Incubation Atmosphere** | 37 5% $CO_2$ |
| **Shipping Conditions** | -78 |
| **Storage Conditions** | -150 -196 80 |