

Product sheet

CHO-FCGR2B | 305982

Description		6,250	
	CHO-FCGR2B	G IgG Fc	Fc IIB FcγRIIB FCGR2B/CD32B
	CHO-FCGR2B	Fc	IgG
Organism			
Tissue			
Disease		FcγRIIB CD32B/FCGR2B	
Applications		Fc Fc	ADCP
Age			
Gender			
Morphology			
Cell type			
Growth properties			
Citation			
	CHO-FCGR2B Cytion	305982	
Biosafety level		1	
NCBI_TaxID		10029	
CellosaurusAccession		CVCL_A8W4	

Product sheet

CHO-FCGR2B | 305982

GMO Status	GMO-S1	CHO	FCGR2B
Receptors expressed	FCGR2B/CD32B		
Culture Medium	DMEM:Ham's F12 (1:1)	3.1 g/L	2.5 mM L-15 mM HEPES 0.5 mM1.2 g/L NaHCO3 (Cytion arti
	CHO	A InSCREENeX InSCREENeX	INS-ME-1039
Supplements	5 FBS	0.5 mg/mL	Geneticin G418-Sulfat
Dissociation Reagent	-EDTA		
Doubling time	14	16	
Subculturing		PBS	PBS _{CO2} 2 3 Trypsin/EDTA T25
Split ratio	1	5	
Seeding density	2	5 × 10 ⁴	/cm ²
Fluid renewal	2	3	
Post-Thaw Recovery	T25	1:2 1:3	24
Freeze medium		FBS	10 DMSO CM-1

Product sheet

CHO-FCGR2B | 305982

Thawing and
Culturing Cells

1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25
8.

Incubation
Atmosphere

37 5% CO₂

Shipping
Conditions

-78

Storage
Conditions

-150 -196 80

Sterility

PCR