# Product sheet

## Cytion293F-X | 305927

| | |
|---|---|
| **Description** | Cytion293F-X HEK293F HEK293<br>Cytion293F-X PEI<br>Cytion293F-X AAV |
| **Organism** | |
| **Tissue** | |
| **Disease** | HEK293 |
| **Metastatic site** | HEK293 |
| **Applications** | |
| **Age** | |
| **Gender** | |
| **Ethnicity** | |
| **Morphology** | |
| **Cell type** | |
| **Growth properties** | |
| **Citation** | Cytion293F-X Cytion 305927 |
| **Biosafety level** | 1 |
| **NCBI_TaxID** | 9606 |

# Product sheet

## Cytion293F-X | 305927

| | | | |
|---|---|---|---|
| **CellosaurusAccession** | Cytion293F-X | HEK293F | HEK293 CVCL_0045 |
| **GMO Status** | GMO-S1 Cytion293F-X | SV40 | |

| | |
|---|---|
| **Receptors expressed** | |
| **Protein expression** | CEA p53 |
| **Tumorigenic** | |
| **Viruses** | 5 DNA 5 DNA |

| | |
|---|---|
| **Culture Medium** | Expi293 |
| **Dissociation Reagent** | |
| **Subculturing** | PBS T25 3-5ml T75 5-10ml PBS T25 1-2m |
| **Seeding density** | 0.3 $1\times10^{6}$ /ml |
| **Fluid renewal** | 2 |
| **Post-Thaw Recovery** | $5\times10^{4}$ /ml $5\times10^{2}$ 24 |
| **Freeze medium** | 10 DMSO |

| | |
|---|---|
| **Thawing and Culturing Cells** | 1.<br>2. -150 3<br>3. 37 40 60<br>4. 70<br>5. 8ml 15ml<br>6. 200 x g 5<br>7. |
| **Incubation Atmosphere** | 37 5% $CO_2$ |
| **Shipping Conditions** | -78 |
| **Storage Conditions** | -150 -196 80 |