

Product sheet

K7M2 wt-Luc | 305684

Description	K7M2 wt-Luc	K7M2			K7M2	BALB/c	BLI
	K7M2 wt-Luc						
	K7M2 wt-Luc	C3	Fc	I (FcγRI)	K7M2		
Organism							
Tissue							
Disease							
Metastatic site							
Applications	BALB/c			C3 FcγRI			
Synonyms	K7M2-WT, K7M2						
Breed/Subspecies	BALB/c						
Age	895						
Gender							
Cell type							
Growth properties							
Citation	K7M2 wt-Luc	Cytion	305684				
Biosafety level	1						
NCBI_TaxID	10090						

Product sheet

K7M2 wt-Luc | 305684

CellosaurusAccession	K7M2 wt-Luc	K7M2	BALB/c
GMO Status	GMO-S1		Luc2
Receptors expressed	(C3), , Fc , IgG, l(Fcgr1),		
Antigen expression	Luc2		
Tumorigenic			
Culture Medium	DMEM w 4.5g/L w 4mM L- w 3.7g/L NaHCO3 w 1.0mM	Cytion	820300a
Supplements	10% FBS		
Dissociation Reagent			
Subculturing		PBS T25 3-5ml T75 5-10ml PBS T25	1-2m
Split ratio	1 3		
Seeding density	1-3×10 ⁴ /cm ²		
Fluid renewal	2 3		
Freeze medium		10 DMSO	

Product sheet

K7M2 wt-Luc | 305684

Thawing and
Culturing Cells

1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 200 x g 5
7.

Incubation
Atmosphere

37 5%
CO₂

Shipping
Conditions

-78

Storage
Conditions

-150 -196 80