Product sheet

K7M2 wt-Luc | 305684

Description	K7M2 wt-Luc K7M2 K7M2 BALB/c K7M2 wt-Luc BALB/c BLI K7M2 wt-Luc C3 Fc I (FcgRI) K7M2
Organism	
Tissue	
Disease	
Metastatic site	
Applications	BALB/c C3 FcgRI
Synonyms	K7M2-WT, K7M2

Breed/Subspecies	BALB/c
Age	895
Gender	
Cell type	
Growth properties	

Citation	K7M2 wt-Luc Cytion 305684
Biosafety level	1
NCBI_TaxID	10090

K7M2 wt-Luc | 305684

CellosaurusAccession	K7M2 wt-Luc K7M2 BALB/c
GMO Status	GMO-S1 Luc2
Receptors expressed	(C3), , Fc , IgG, I(Fcgr1),
Antigen expression	Luc2
Tumorigenic	
Culture Medium	DMEM
Supplements	10% FBS
Dissociation Reagent	
Subculturing	PBS T25 3-5ml T75 5-10ml PBS T25 1-2m
Split ratio	1 3
Seeding density	1 3×10⁴/cm²
Fluid renewal	2 3
Freeze medium	10 DMSO

K7M2 wt-Luc | 305684

Thawing and Culturing Cells	1. 2. -150 3 3. 37 40 60 4. 70 5. 8ml 15ml 6. 200 x g 5 7.
Incubation Atmosphere	37 5% CO_2
Shipping Conditions	-78
Storage Conditions	-150 -196 80