

MNNG-HOS CL#5 | 300289

Description MNNG/HOS Cl #5 [R-1059-D] HOS 0.01 µg/ml N-⁷-N'-N- 21 MNNG100%in vitro
MNNG/HOS Cl #5

Organism

Tissue

Disease

Synonyms MNNG/HOS, MNNG-HOS, HOS-MNNG, HOS/MNNG, MNNGHOS, MNNG/HOS (Cl#5), MNNG/HOS Clone F-5, MNNG, R-1059-D, TE85, Te85, TE-85, HOS-TE85 Hos TE-85 HOS TE85 HOS TE85 HOS TE85 HOS TE85 HOS TE85 HOS TE85 F5 MNNG HOS TE 85 F-5 TE-85 F-5 HOS-TE85 TE 85 T TE 85 ClF-5 TE-85 5

Age 13

Gender

Ethnicity

Morphology

Growth properties

Citation MNNG-HOS CL#5 Cytion 300289

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_0439

MNNG-HOS CL#5 | 300289

Isoenzymes G6PD B

Tumorigenic

Culture Medium RPMI1640 w 2.0mM w 2.0g/L NaHCO3 Cytion article number 820700a

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS T25 3-5ml T75 5-10ml PBS T25 1-2m

Seeding density $1 \times 10^4 / \text{cm}^2$

Fluid renewal 2 3

Post-Thaw Recovery $\frac{4}{5 \times 10^6}$ 24

Freeze medium FBS 10 DMSO CM-1

MNNG-HOS CL#5 | 300289

Thawing and Culturing Cells				
1.				
2.		-150		3
3.		37		40 60
4.	70			
5.		8ml	15ml	
6.	300 x g 3			
7.	10ml		2 T25	
8.				

Incubation Atmosphere 37 5% CO₂

Flask Coating

Freezing Procedure -78

Shipping Conditions -78

Storage Conditions -150 -196 80

HLA

Sterility PCR

MNNG-HOS CL#5 | 300289

HLA

A*: '02:11:01
B*: '52:01:01
C*: '12:02:02
DRB1*: '15:02:01G, '16:02:01
DQA1*: '01:02:02, '01:03:01
DQB1*: '05:02:01, '05:03:01
DPB1*: '02:01:02
E: '01:01:01