

**Hep-56.1C | 400203**

<b>Description</b>	Hep-56.1c	C57BL/6J	in vitro	p53
	Hep-56.1c		K8 K18	K19
	DNA	Hep-56.1c		

**Organism**

**Tissue**

**Disease**

**Synonyms** HEP-56.1C, 56.1C, 56.1c

**Breed/Subspecies** C57BL/6J

**Age**

**Gender**

**Morphology**

**Growth properties**

**Citation** Hep-56.1C Cytion 400203

**Biosafety level** 1

**NCBI\_TaxID** 10090

**CellosaurusAccession** CVCL\_5768

**Hep-56.1C | 400203**

<b>Culture Medium</b>	DMEM w 4.5g/L	w 4mM L-	w 3.7g/L NaHCO3	w 1.0mM	Cytion 820300a
-----------------------	---------------	----------	-----------------	---------	----------------

<b>Supplements</b>	10% FBS
--------------------	---------

<b>Dissociation Reagent</b>	
-----------------------------	--

<b>Subculturing</b>	PBS	T25	3-5ml T75	5-10ml PBS	T25	1-2m
---------------------	-----	-----	-----------	------------	-----	------

<b>Seeding density</b>	$1 \times 10^4 / \text{cm}^2$
------------------------	-------------------------------

<b>Fluid renewal</b>	3 5
----------------------	-----

<b>Post-Thaw Recovery</b>	$4 / \text{cm}^2$	24
---------------------------	-------------------	----

<b>Freeze medium</b>	FBS	10 DMSO	CM-1
----------------------	-----	---------	------

<b>Thawing and Culturing Cells</b>	1.				
	2.	-150		3	
	3.	37		40 60	
	4.	70			
	5.	8ml	15ml		
	6.	300 x g 3			
	7.	10ml		2 T25	1
	8.				

