

**KYSE-30 | 305094**

<b>Description</b>	KYSE-30	ESCC	KYSE		
	KYSE-30		p16 INK4a	p15 INK4b	p16
	KYSE-30			ESCC in vivo	KYSE-30

**Organism**

**Tissue**

**Disease**

**Synonyms** Kyse-30, KYSE30, KYSE30, Kyse30, KYSE0030

**Age** 64

**Gender**

**Ethnicity**

**Morphology**

**Growth properties**

**Citation** KYSE-30 (Cytion 305094)

**Biosafety level** 1

**NCBI\_TaxID** 9606

**CellosaurusAccession** CVCL\_1351

KYSE-30 | 305094

<b>Culture Medium</b>	Ham's F12 RPMI1640 50:50	820600a 820702a
-----------------------	--------------------------	-----------------

**Supplements** 10% FBS

<b>Dissociation Reagent</b>	
-----------------------------	--

**Doubling time** 20 30

<b>Subculturing</b>	PBS	T25	3-5ml T75	5-10ml PBS	T25	1-2m
---------------------	-----	-----	-----------	------------	-----	------

**Fluid renewal** 2 3

<b>Freeze medium</b>	FBS	10 DMSO	CM-1
----------------------	-----	---------	------

**Thawing and Culturing Cells**

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

<b>Incubation Atmosphere</b>	37 5% CO <sub>2</sub>
------------------------------	-----------------------

KYSE-30 | 305094

---

**Flask Coating**

**Freezing Procedure** -78

**Shipping Conditions** -78

**Storage Conditions** -150 -196 80

**HLA**

**Sterility** PCR