

**Hep-74.3A | 400208**

<b>Description</b>	Hep-74.3	C3H/He				Hep-74.3
	Hep-74.3				Hep-74.3 DNA	
		p53		in vitro	Hep-74.3	p53 c-Ha-ras

**Organism**

**Tissue**

**Disease**

**Synonyms** Hep-74.3 HEP-74.3a 74.3A 74.3a

**Breed/Subspecies** C57BL/6J

**Age**

**Gender**

**Morphology**

**Growth properties**

**Citation** Hep-74.3A Cytion 400208

**Biosafety level** 1

**NCBI\_TaxID** 10090

**CellosaurusAccession** CVCL\_5773

**Hep-74.3A | 400208**

<b>Protein expression</b>	8, 18,
---------------------------	--------

<b>Tumorigenic</b>	C3H/HE
--------------------	--------

<b>Mutational profile</b>	P53 wt
---------------------------	--------

<b>Culture Medium</b>	Ham's F12 w 1.0mM	w 1.0mM	w 1.1g/L NaHCO3	Cytion article number 820600a
-----------------------	-------------------	---------	-----------------	-------------------------------

<b>Supplements</b>	10% FBS
--------------------	---------

<b>Dissociation Reagent</b>	
-----------------------------	--

<b>Subculturing</b>	PBS	T25	3-5ml T75	5-10ml PBS	T25	1-2m
---------------------	-----	-----	-----------	------------	-----	------

<b>Seeding density</b>	$1 \times 10^4 / \text{cm}^2$
------------------------	-------------------------------

<b>Fluid renewal</b>	3 5
----------------------	-----

<b>Post-Thaw Recovery</b>	$4 \times 10^6$	24
---------------------------	-----------------	----

<b>Freeze medium</b>	FBS	10 DMSO	CM-1
----------------------	-----	---------	------

Hep-74.3A | 400208

Thawing and Culturing Cells				
1.				
2.		-150		3
3.		37		40 60
4.	70			
5.		8ml	15ml	
6.	300 x g	3		
7.	10ml		2	T25
8.				

**Incubation Atmosphere** 37 5% CO<sub>2</sub>

**Flask Coating**

**Freezing Procedure** -78

**Shipping Conditions** -78

**Storage Conditions** -150 -196 80

**HLA**

**Sterility** PCR