

HROC50 T1 M5 | 300839

Description 2006 PD CRC

Organism

Tissue UICC lib CRC TNM T4N0M0R0L0V0 G2 Lk(n)+0 Σ Lk(n) 34

Disease

Synonyms HROC50

Age 67

Gender

Ethnicity

Morphology

Growth properties

Citation HROC50 T1 M5 300839

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1G02

Protein expression CD326pos HLA I

HROC50 T1 M5 | 300839

Tumorigenic

Viruses SV40 JC/BK HBV HCV HIV

Ploidy status

MSI-status MSI-H

Mutational profile APCwt K-Raswt p53mut B-Rafmut

Culture Medium DMEM:Ham's F12 (1:1) w: 3.1 g/L w: 2.5 mM L- w: 15 mM HEPES w: 0.5 mM w: 1.2 g/L NaHCO3 (Cytion)

Supplements 10% FBS

Dissociation Reagent

Doubling time 25 40

Subculturing PBS T25 3-5ml T75 5-10ml PBS T25 1-2m

Seeding density 2×10^4 /cm²

Fluid renewal 3 5

Post-Thaw Recovery 1 2

Freeze medium FBS 10 DMSO CM-1

HROC50 T1 M5 | 300839

Thawing and Culturing Cells

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

Incubation Atmosphere 37 5% CO₂

Flask Coating

Freezing Procedure -78

Shipping Conditions -78

Storage Conditions -150 -196 80

HLA

Sterility PCR