

LCLC-103H | 300169

Description	LCLC-103H	LCLC	
	LCLC-103H	PAS Periodic Acid-Schiff	LCLC-103H

Organism

Tissue

Disease

Metastatic site

Synonyms LCLC103H, -103H

Age 61

Gender

Ethnicity

Morphology

Growth properties

Citation LCLC-103H (Cytion 300169)

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1375

LCLC-103H | 300169

Ploidy status

Culture Medium RPMI1640 w 2.0mM w 2.0g/L NaHCO3 Cytion article number 820700a

Supplements 10% FBS

Dissociation Reagent

Doubling time 26

Subculturing PBS T25 3-5ml T75 5-10ml PBS T25 1-2m

Seeding density 0.5 1×10^4 /cm²

Fluid renewal 2 3

Post-Thaw Recovery 24

Freeze medium FBS 10 DMSO CM-1

LCLC-103H | 300169

Thawing and Culturing Cells

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

Incubation Atmosphere 37 5% CO₂

Flask Coating

Freezing Procedure -78

Shipping Conditions

-78

Storage Conditions -150 -196 80

HLA

Sterility PCR