

NCI-H2126 | 300639

Description

NCI-H2126	NSCLC		
NCI-H2126	NSCLC	6q	13q
NCI-H2126			

Organism

Tissue

Disease

Metastatic site

Applications 3D

Synonyms H-2126 NCIH2126 NCI-H2126

Age 65

Gender

Ethnicity

Morphology

Growth properties

Citation NCI-H2126 Cytion 300639

Biosafety level 2

NCBI_TaxID 9606

NCI-H2126 | 300639

CellosaurusAccession CVCL_1532

Isoenzymes AK-1 1 ES-D 1-2 G6PD B GLO-I 2 Me-2 0 PGM1 1-2 PGM3 2

Tumorigenic

Viruses EBV

Ploidy status

Culture Medium DMEM:Ham's F12 (1:1) w: 3.1 g/L w: 2.5 mM L- w: 15 mM HEPES w: 0.5 mM w: 1.2 g/L NaHCO3 (Cyt

Supplements 5% FBS 0.005 mg/mL 0.01 mg/mL 30nM 10nM 10nM β-

Dissociation Reagent

Subculturing PBS T25 3-5ml T75 5-10ml PBS T25 1-2m

Freeze medium FBS 10 DMSO CM-1

NCI-H2126 | 300639

Thawing and Culturing Cells

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

Incubation Atmosphere

37 5% CO₂

Flask Coating

Freezing Procedure

-78

Shipping Conditions

-78

Storage Conditions

-150 -196 80

HLA

Sterility

PCR