

SCLC-22H | 300445

Description	SCLC-22H			SCLC		SCLC	SCLC-22H	SCLC
	SCLC-22H		NSE	CEA		-BB CK-BB	SCLC	
	SCLC-22H	SCLC	SCLC	in vivo				

Organism

Tissue

Disease

Metastatic site

Synonyms SCLC22H

Age 46

Gender

Ethnicity

Morphology

Growth properties

Citation SCLC-22H 300445

Biosafety level 1

NCBI_TaxID 9606

CellSaurusAccession CVCL_2186

SCLC-22H | 300445

Tumorigenic

Reverse transcriptase

Karyotype 43

Culture Medium RPMI1640 w 2.0mM w 2.0g/L NaHCO3 Cytion article number 820700a

Supplements 10% FBS

Subculturing 5×10⁵ /ml 1×10⁵ 1×10⁶ /ml

Seeding density 1 × 10⁵ /ml

Fluid renewal 1 2

Freeze medium 50 40 FBS 10 DMSO CM-1 Cytion 800100

SCLC-22H | 300445

Thawing and Culturing Cells				
1.				
2.		-150		3
3.		37		40 60
4.	70			
5.		8ml	15ml	
6.	300 x g 3			
7.	10ml		2 T25	
8.				

Incubation Atmosphere 37 5% CO₂

Flask Coating				

Freezing Procedure -78

Shipping Conditions				
		-78		

Storage Conditions -150 -196 80

HLA

Sterility				
		PCR		

SCLC-22H | 300445

HLA

A*: '01:01:01, '32:01:01

B*: '27:05:02, '51:01:01

C*: '02:02:02

DRB1*: '04:01:01, '09:01:02G

DQA1*: '03:01:01, '03:02:01

DQB1*: '03:02:01, '03:03:02

DPB1*: '02:01:02, '04:01:01

E: '01:01:01