

O-342 | 500305

Description	
O-342	24
O-342	O-342/DDP
O-342/DDP	O-342 SSG.37 nmol/10
O-342	O-342/DDP

**Organism**

**Tissue**

**Disease**

**Breed/Subspecies** BDix

**Gender**

**Morphology**

**Growth properties**

**Citation** O-342 Cytion 500305

**Biosafety level** 1

**NCBI\_TaxID** 10116

**CellosaurusAccession** CVCL\_5847

O-342 | 500305

<b>Culture Medium</b>	EMEM MEM Eagle w 2 mM L-	w 2.2 g/L NaHCO <sub>3</sub> w EBSS Cytion	820100a
-----------------------	--------------------------	--	---------

**Supplements** 10% FBS 1% NEAA

<b>Dissociation Reagent</b>	
-----------------------------	--

**Subculturing** PBS T25 3-5ml T75 5-10ml PBS T25 1-2m

<b>Split ratio</b>	1 4 1 6
--------------------	---------

**Fluid renewal** 2 3

<b>Freeze medium</b>	FBS 10 DMSO	CM-1
----------------------	-------------	------

**Thawing and Culturing Cells**

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

<b>Incubation Atmosphere</b>	37 5% CO <sub>2</sub>
------------------------------	-----------------------

**Flask Coating**

O-342 | 500305

**Freezing  
Procedure**

-78

**Shipping  
Conditions**

-78

**Storage  
Conditions**

-150 -196 80

## HLA

**Sterility**

PCR

**STR**

**Rat\_D1Wox31:** 108  
**Rat\_D2Wox37:** 150  
**Rat\_D19Wox11:** 228  
**Rat\_D10Wox8:** 266  
**Rat\_D4Wox7:** 145  
**Rat\_D2Wox27:** 227  
**Rat\_D5Rat33:** 136  
**Rat\_D10Wox11:** 171  
**Rat\_D1Wox23:** 226  
**Rat\_D12Wox1:** 410  
**Rat\_D6Wox2:** 108  
**Rat\_D8Wox7:** 185  
**Rat\_D6Cebr1:** 231  
**SRY:** x,x