

C127I | 400134

<b>Description</b>	C127I	BALB/c
	C127I	C127I

**Organism**

<b>Tissue</b>
---------------

**Disease**

<b>Applications</b>	DNA	in vitro
---------------------	-----	----------

**Synonyms** C 127I C-127i C-127 i CNC 127i

<b>Breed/Subspecies</b>	RIII
-------------------------	------

**Gender**

<b>Morphology</b>
-------------------

**Growth properties**

<b>Citation</b>	C127I	400134
-----------------	-------	--------

**Biosafety level** 1

<b>NCBI_TaxID</b>	10090
-------------------	-------

**CellosaurusAccession** CVCL\_3882

<b>GMO Status</b>	GMO-S1	C127I	T7 RNA	CFTR
-------------------	--------	-------	--------	------

C127I | 400134

**Viruses**

**Virus susceptibility**

**Reverse transcriptase**

**Culture Medium** DMEM w 4.5g/L w 4mM L- w 3.7g/L NaHCO3 w 1.0mM Cytion 820300a

**Supplements** 10% FBS

**Dissociation Reagent**

**Subculturing** PBS T25 3-5ml T75 5-10ml PBS T25 1-2m

**Fluid renewal** 2 3

**Post-Thaw Recovery** <sup>4</sup> ~~5~~ 24

**Freeze medium** FBS 10 DMSO CM-1

C127I | 400134

**Thawing and  
Culturing Cells**

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

**Incubation  
Atmosphere**

37 5%  
CO<sub>2</sub>

**Flask Coating**

**Freezing  
Procedure**

-78

**Shipping  
Conditions**

-78

**Storage  
Conditions**

-150 -196 80

**HLA**

**Sterility**

PCR