

L1210 | 400257

Description

L1210

L1210 in vitro

in vitro

in vivo

L1210

Organism

Tissue

Disease

Synonyms

L 1210 L-1210 1210 L1210

Breed/Subspecies

DBA/2

Age

8

Gender

Cell type

Growth properties

Citation

L1210 Cytion 400257

Biosafety level

1

NCBI_TaxID

10090

CellosaurusAccession

CVCL_0382

L1210 | 400257

Tumorigenic	DBA
--------------------	-----

Viruses MAP Sendai Ektromelie Polyoma K-Virus Kilham Reo 3 PVM LCM M.pulmonis MVM Theiler's GD VII Toolan's H-1 MHV LDV RCV/SDA M- B.piliformis

Culture Medium	DMEM w 4.5g/L	w 4mM L-	w 3.7g/L NaHCO3	w 1.0mM	Cytion 820300a
-----------------------	---------------	----------	-----------------	---------	----------------

Supplements 10%

Doubling time	10 12
----------------------	-------

Subculturing ⁶ /ml 5×10⁵ /ml 3×10⁵ 1×10

Seeding density	0.3 1×10 ⁶ /ml
------------------------	---------------------------

Fluid renewal 3 4

Post-Thaw Recovery	
---------------------------	--

Freeze medium FBS 10 DMSO CM-1

L1210 | 400257

Thawing and Culturing Cells				
1.				
2.		-150		3
3.		37		40 60
4.	70			
5.		8ml	15ml	
6.	300 x g 3			
7.	10ml		2 T25	
8.				

Incubation Atmosphere 37 5% CO₂

Flask Coating

Shipping Conditions -78

Storage Conditions -150 -196 80

HLA

Sterility PCR