

DSL-6B-C2 | 500167

Description	DSL-6B/C2	DSL-6	1986	
	DSL-6B/C2		1 2	in vitro

Organism

Tissue

Disease

Metastatic site

Synonyms DSL-6B/C2 DSL6B/C2

Breed/Subspecies

Age 2

Gender

Morphology

Cell type

Growth properties

Citation DSL-6B-C2 500167

Biosafety level 1

NCBI_TaxID 10116

CellosaurusAccession CVCL_4167

DSL-6B-C2 | 500167

Tumorigenic

Products

Culture Medium

DMEM:Ham's F12 (1:1) w: 3.1 g/L w: 2.5 mM L- w: 15 mM HEPES w: 0.5 mM w: 1.2 g/L NaHCO3 (Cytion)

Supplements

10% FBS

Dissociation Reagent

Subculturing

PBS T25 3-5ml T75 5-10ml PBS T25 1-2ml

Seeding density

10^4 /cm² 4

Fluid renewal

2

Post-Thaw Recovery

4×10^4 24

Freeze medium

FBS 10 DMSO CM-1

DSL-6B-C2 | 500167

Thawing and Culturing Cells				
1.				
2.		-150		3
3.		37		40 60
4.	70			
5.		8ml	15ml	
6.	300 x g	3		
7.	10ml		2	T25
8.				

Incubation Atmosphere 37 5% CO₂

Flask Coating

Freezing Procedure -78

Shipping Conditions -78

Storage Conditions -150 -196 80

HLA

Sterility PCR