

NCI-H1650 | 305059

Description	NCI-H1650	NSCLC	PTEN	EGFR	PI3K
	NCI-H1650	PTEN	PI3K/AKT		
	NCI-H1650			EGFR	PI3K

Organism

Tissue

Disease

Metastatic site

Synonyms NCI-H1650 H-1650 H1650_CO NCI-H1650

Age 27

Gender

Ethnicity

Morphology

Growth properties

Citation NCI-H1650 Cytion 305059

Biosafety level 1

NCBI_TaxID 9606

CellosaurusAccession CVCL_1483

NCI-H1650 | 305059

Culture Medium RPMI1640 w 2.0mM w 2.0g/L NaHCO3 Cytion article number 820700a

Supplements 10% FBS

Dissociation Reagent

Subculturing PBS T25 3-5ml T75 5-10ml PBS T25 1-2m

Fluid renewal 2 3

Freeze medium FBS 10 DMSO CM-1

Thawing and Culturing Cells

- 1.
2. -150 3
3. 37 40 60
4. 70
5. 8ml 15ml
6. 300 x g 3
7. 10ml 2 T25 1
- 8.

Incubation Atmosphere 37 5% CO2

Flask Coating

NCI-H1650 | 305059

Freezing Procedure -78

Shipping Conditions -78

Storage Conditions -150 -196 80

HLA

Sterility PCR