

AH-130 | 500412

Description	1956	AH-130
Organism		
Tissue		
Disease		
Metastatic site		
Synonyms	AH-130, AH130, AH130, AH 130, AH-130	, AH130-TC, AH130/P
Breed/Subspecies		
Morphology		
Growth properties		
Citation	AH-130	500412
Biosafety level	1	
NCBI_TaxID	10116	
CellosaurusAccession	CVCL_4367	
Tumorigenic	Wistar	
Viruses	RAP	.

AH-130 | 500412

Virus susceptibility

Culture Medium

DMEM:Ham's F12 (1:1) w: 3.1 g/L w: 2.5 mM L- w: 15 mM HEPES w: 0.5 mM w: 1.2 g/L NaHCO3 (Cyt

Supplements

10% FBS

Dissociation Reagent

Subculturing

15 ml PBS T25 3 5 ml T75 5 10 ml T25

Seeding density

2×10^4 /cm²

Fluid renewal

3 5

Post-Thaw Recovery

Freeze medium

FBS 10 DMSO CM-1

AH-130 | 500412

Thawing and Culturing Cells			
1.			
2.		-150	3
3.		37	40 60
4.	70		
5.		8ml	15ml
6.	300 x g	3	
7.	10ml		2 T25
8.			

Incubation Atmosphere 37 5% CO₂

Flask Coating			

Freezing Procedure -78

Shipping Conditions			
		-78	

Storage Conditions -150 -196 80

HLA

Sterility			
		PCR	