Product sheet

AH-130 | 500412

Description	1956 AH-130
Organism	
Tissue	
Disease	
Metastatic site	
Applications	Sprague-Dawley
Synonyms	AH-130, AH130, AH130, AH 130, AH-130 , AH130-TC, AH130/P

Breed/Subspecies	
Age	
Gender	
Ethnicity	Q Sprague-Dawley
Morphology	
Cell type	
Growth properties	

Citation	AH-130 500412
Biosafety level	1
NCBI_TaxID	10116

AH-130 | 500412

CellosaurusAccession	CVCL_4367
GMO Status	1956
Tumorigenic	Wistar
Viruses	RAP .
Virus susceptibility	
Culture Medium	DMEM:Ham's F12 (1:1) w: 3.1 g/L w: 2.5 mM L- w: 15 mM HEPES w: 0.5 mM w: 1.2 g/L NaHCO3 (Cyti
Supplements	10% FBS
Dissociation Reagent	
Doubling time	18 24 BD
Subculturing	15 ml PBS T25 3 5 ml T75 5 10 ml T25
Split ratio	1 3
Seeding density	2×10^4 /cm^2
Fluid renewal	3 5
Post-Thaw Recovery	
Freeze medium	FBS 10 DMSO CM-1

AH-130 | 500412

Thawing and Culturing Cells	1. 2. -150 3 3. 37 40 60 4. 70 5. 8ml 15ml 6. 300 x g 3 7. 10ml 2 T25 1 8.
Incubation Atmosphere	37 5% CO_2
Flask Coating	
Freezing Procedure	-78
Shipping Conditions	-78
Storage Conditions	-150 -196 80
Sterility	PCR