

Hep-CLS-E1 | 400196

Description C3H/HE N- NDEA C3H/HE

Organism

Tissue

Disease

Synonyms HEP-CLS-E1, E1

Breed/Subspecies C3H/HE

Age

Gender

Morphology

Growth properties

Citation Hep-CLS-E1 (Cytion 400196)

Biosafety level 1

NCBI_TaxID 10090

CellosaurusAccession CVCL_5777

Protein expression 8, 18,

Hep-CLS-E1 | 400196

Tumorigenic	C3H/HE					
Mutational profile	P53 wt					
Culture Medium	Ham's F12 w 1.0mM	w 1.0mM	w 1.1g/L NaHCO3 Cytion article number 820600a			
Supplements	10% FBS					
Dissociation Reagent						
Subculturing			PBS	T25	3-5ml T75	5-10ml PBS T25 1-2m
Seeding density	$1 \times 10^4 / \text{cm}^2$					
Fluid renewal	3 5					
Post-Thaw Recovery	4×10^4			24		
Freeze medium			FBS	10 DMSO		CM-1

Hep-CLS-E1 | 400196

Thawing and Culturing Cells				
1.				
2.		-150		3
3.		37		40 60
4.	70			
5.		8ml	15ml	
6.	300 x g 3			
7.	10ml		2 T25	
8.				

Incubation Atmosphere 37 5% CO₂

Flask Coating

Freezing Procedure -78

Shipping Conditions -78

Storage Conditions -150 -196 80

HLA

Sterility PCR